

# TECH RIDER Mur de la Mort updated 01/25

#### // OVERVIEW //

This new show from the MDLM collective uses a few tropes of the Wall of Death genre while adding live music, comedy, theatrical and poetic aspects, energy and surprises on top of solo and multi-rider motorcycle performances.

In an effort to maintain the show's historical funfair-style tradtion, **3 or 4 40-min. performances** will be held each operating day, during a minimum of two days to justify the sizeable set-up of the structure itself.

The « Mur de la Mort » is an out-of-ordinary structure with a unique conception, composed of a wooden drum (8 m. diameter, 4,70 m. height), a viewing platform for the audience and stairs for audience access. As per the carnival tradition that saw the wall of death beginnings, a pre-show (la parade) will be taking place on the outside of the structure before each performance.

#### //COMPANY CONTACTS //

PRODUCTION	Laurianne Baudouin +33 6 14 31 86 96 cielapresidenteaeu19@gmail.com
TECH MANAGEMENT	Matthieu Bureau +33 6 29 14 64 47 regietekmatt@gmail.com
ADMINISTRATION	lemurdelamort@gmail.com
MDLM REFERENT	Pierre Carnet +33 6 82 57 88 84 raoulcarneto@hotmail.fr

#### // INSTALLATION //

# Please contact the company for any ajustments/modifications to the following specifications.

- The MDLM team will arrive at *D-3 in the late afternoon* and assemble the bottom plate of the structure. Access for heavy vehicles is required.
- The « Mur de la Mort » is a 12 m. in diameter (without the access stairs), 10 m. high, self-supporting structure. *No clamps are required.*
- The *ideal* surface of installation is 21 m. x 15 m. The ground should be clear and unobstructed, mowed if needed. Minimal surface is 14 m. x 18 m.
- The installation grounds should absolutely be a plane surface (no more than a 2 % slope) for the structure to be erected correctly.
- A *stabilised* access for heavy vehicles is *asbolutely* required. Our trailer truck will stay parked on either side of the structure during assembly. Total length of convoy: 22 m.

#### // ON SITE SPECIFICATIONS //

#### / STAFFING /

- 4 people should be present to help with the assembly and disassembly operations (ideally, the same 4 people for both), which take place respectively on D-2 (two days before the first performance) and D+1 (the day after the last performance).
- On operating days, 4 people should be present 10 min. before each performance to scan audience tickets.

#### / STRUCTURE /

- The outdoor pre-show requires 8 walkable « SAMIA « type platforms, (2 m. x 1 m.), disposed in two 2 m. x 4 m. blocks (and their corresponding fittings).
- Between those blocks will sit a module, which we provide (see plan).
- The platforms' height should be adjustable to attain approx. 0,8 m. in order to put the stage together, and they should be available on the morning of D-2.

#### / ELECTRICAL /

- An electrical **63 amp P17 outlet** is required at the structure's installation point, ideally on the company's arrival, which is on **D-3**.

#### / SOUND & LIGHTING/

implantation

### // ON SITE SPECIFICATIONS //

#### / DRESSING ROOMS /

- A 3 m. x 3 m. folding-type tent with its four walls, some tables, chairs, electrical outlets and lighting is required. Flooring is much appreciated but not mandatory. See plan for install.

#### / CONVOY /

- Trailer truck dimensions : L 17 m. ; W 12,5 m. ; H 4,20 / Weight 25 t.
- The convoy is composed of a trailer and trailer truck and 4 light vehicles with caravans.
- The trailer truck, trailer and one of the light vehicles (technical vehicle, motorcycle carrier) must have access to installation grounds for assembly and disassembly operations.
- To prepare for structure disassembly by unmounting all technical elements, the technical vehicle must access the structure on the last operating day, after the last performance.
- When assembly is complete, the trailer should be parked in a guarded spot during operating days, before being returned to installation grounds for disassembly operations on D+1.

#### / CAMP /

- Our camp is composed of 4 caravans, 4 lightweight vans and the truck part of the trailer truck : 9 vehicles in total.
- Ideal dimensions of campsite : 20 m. x 10 m.
- Camp grounds should be clear and stabilised, mowed if needed, and located, ideally, at the back of the structure.
- Access to toilets and bathrooms is absolutely necessary, with, ideally, private-use toilets for our camp.
- Access to a drinking water outlet is much appreciated.
- If a pre-existing camping site or other types of accomodation are to be used, please get in touch as soon as possible.

#### / CATERING / for 8 PEOPLE

- No special diets in our team, and we love meat!
- Catering is to be provided from arrival of the company on the evening of D-3. Any changes to schedule will be communicated to you by our technical manager.
- We frequently bring our children along on tour. If it is the case, we will contact you in advance with the appropriate number of meals to be provided.

# // TYPICAL SCHEDULE //

Т		NEEDS
D-3	<ul><li>Company arrival</li><li>Bottom plate assembly</li><li>Camp setup</li></ul>	Access for trailer truck Access to camp Electrical/water outlets Meal for evening of arriva
D-2	<ul> <li>9h-13h / 14h-18h</li> <li>Structure assembly</li> <li>Dressing room setup</li> <li>Relocation of trailer (end of day)</li> </ul>	4 people for assembly Dressing room tent
D-1	9h-13h / 14h-18h • Tech install + soundcheck • Decoration, final touches • Bike training / final wedging of	
D	9h-13h : Bike training H-1 : Show prep After last perf. : Tech unmounting	<ul><li>4 people for ticket control</li><li>Access for company tech vehicle</li></ul>
D+1	9h-13h / 14h-18h • Structure disassembly	- 4 people
D+2	- Company departure	

## // IMPLANTATION PLAN //

